


Ref. **3114**


## MACHO RECTO MÁQUINA UNC MANGO REFORZADO

Reinforced Shank UNC Machine Straight Tap  
Taraud Droit Machine UNC Queue Renforcée



Rosca americana unificada cilíndrica  
Unified Thread Standard  
Filetage unifié

HSSE 5%Co	DIN 371	C 2-3h	Tol. 2B		$\alpha$ $10^\circ \pm 2$
--------------	------------	-----------	------------	--	------------------------------



Material		Vc
Grupo	Sub.	5%Co
1	1.1	6-10
	3.1	7-10
3	3.2	4-7
	5.1	5-8
5	5.2	8-12
	6.1	15-35
6	6.2	14-20
	6.3	12-15

Vc= m/min.


UNC	Hilos Threads	Filets	L mm	l mm	d mm	a mm	Z	N° Art. 5% Co	€
UNC N°5	40		56	11	3,50	2,70	3	75615	23,32
UNC N°6	32		56	13	4,00	3,00	3	75616	22,18
UNC N°8	32		63	13	4,50	3,40	3	75617	22,18
UNC N°10	24		70	16	6,00	4,90	3	75618	23,32
UNC N°12	24		80	17	6,00	4,90	3	75619	24,46
UNC 1/4	20		80	19	7,00	5,50	3	75507	20,69
UNC 5/16	18		90	22	8,00	6,20	3	16693	23,83
UNC 3/8	16		90	22	9,00	7,00	3	75509	27,24

Ref. 3114 bajo demanda / upon request / sur demande

Ref. **3214**


## MACHO RECTO MÁQUINA UNC

UNC Machine Straight Tap  
Taraud Droit Machine UNC



Rosca americana unificada cilíndrica  
Unified Thread Standard  
Filetage unifié

HSSE 5%Co	DIN 376	C 2-3h	Tol. 2B		$\alpha$ $10^\circ \pm 2$
--------------	------------	-----------	------------	--	------------------------------



Material		Vc
Grupo	Sub.	5%Co
1	1.1	6-10
	3.1	7-10
3	3.2	4-7
	5.1	5-8
5	5.2	8-12
	6.1	15-35
6	6.2	14-20
	6.3	12-15

Vc= m/min.


UNC	Hilos Threads	Filets	L mm	l mm	d mm	a mm	Z	N° Art. 5% Co	€
UNC 7/16	14		100	24	8,00	6,20	3	70485	36,72
UNC 1/2	13		110	29	9,00	7,00	3	70486	40,27
UNC 9/16	12		110	30	11,00	9,00	3	70488	54,87
UNC 5/8	11		110	32	12,00	9,00	3	70489	53,25
UNC 3/4	10		125	34	14,00	11,00	3	70491	70,51
UNC 7/8	9		140	34	18,00	14,50	3	70492	92,74
UNC 1"	8		160	38	18,00	14,50	3	70494	121,77
UNC 1"1/8	7		180	45	22,00	18,00	4	75339	147,68

Ref. 3214 bajo demanda / upon request / sur demande

Ref. **3134**

## MACHO RECTO MÁQUINA UNC MANGO REFORZADO

Reinforced Shank UNC Machine Straight Tap  
Taraud Droit Machine UNC Queue Renforcée




Rosca americana unificada cilíndrica  
Unified Thread Standard  
Filetage unifié

HSSE 5%Co	DIN 371	B 3,5-5h	Tol. 2B	GUN	$\alpha$ 10-14°
--------------	------------	-------------	------------	-----	--------------------

Material		Vc
Grupo	Sub.	5%Co
1	1.1	6-10
	3.1	7-10
3	3.2	4-7
	5.1	5-8
5	5.2	8-12
	6.1	15-35
6	6.2	14-20
	6.3	12-15

Vc= m/min.




UNC	Hilos Threads	Filets	L mm	l mm	d mm	a mm	Z	Nº Art. 5% Co	€
UNC Nº5	40		56	9	3,50	2,70	3	75627	27,95
UNC Nº6	32		56	11	4,00	3,00	3	75628	26,64
UNC Nº8	32		63	12	4,50	3,40	3	75629	26,64
UNC Nº10	24		70	13	6,00	4,90	3	75630	27,95
UNC Nº12	24		80	15	6,00	4,90	3	75631	29,32
UNC 1/4	20		80	15	7,00	5,50	3	75527	22,58
UNC 5/16	18		90	18	8,00	6,20	3	75531	26,32
UNC 3/8	16		90	20	9,00	7,00	3	75529	28,41

Ref. 3134 bajo demanda / upon request / sur demande

Ref. **3234**

## MACHO RECTO MÁQUINA UNC

UNC Machine Straight Tap  
Taraud Droit Machine UNC




Rosca americana unificada cilíndrica  
Unified Thread Standard  
Filetage unifié

HSSE 5%Co	DIN 376	B 3,5-5h	Tol. 2B	GUN	$\alpha$ 10-14°
--------------	------------	-------------	------------	-----	--------------------

Material		Vc
Grupo	Sub.	5%Co
1	1.1	6-10
	3.1	7-10
3	3.2	4-7
	5.1	5-8
5	5.2	8-12
	6.1	15-35
6	6.2	14-20
	6.3	12-15

Vc= m/min.




UNC	Hilos Threads	Filets	L mm	l mm	d mm	a mm	Z	Nº Art. 5% Co	€
UNC 7/16	14		100	20	8,00	6,20	3	70521	40,31
UNC 1/2	13		110	23	9,00	7,00	3	70512	44,18
UNC 9/16	12		110	25	11,00	9,00	3	70522	60,17
UNC 5/8	11		110	25	12,00	9,00	3	70516	58,60
UNC 3/4	10		125	30	14,00	11,00	3	70513	77,52
UNC 7/8	9		140	30	18,00	14,50	3	70519	101,93
UNC 1"	8		160	36	18,00	14,50	3	70524	133,90

Ref. 3234 bajo demanda / upon request / sur demande

Ref. **3154**

**MACHO HELICOIDAL MÁQUINA UNC MANGO REFORZADO**


Reinforced Shank UNC Machine Spiral Tap  
Taraud Hélicoïdal Machine UNC Queue Renforcée



Rosca americana unificada cilíndrica  
Unified Thread Standard  
Filetage unifié

HSSE 5%Co	DIN 371	C 2-3h	Tol. 2B		$\alpha$ $10^\circ \pm 2$
--------------	------------	-----------	------------	--	------------------------------

Material		Vc
Grupo	Sub.	5%Co
1	1.1	6-10
	3.1	7-10
3	3.2	4-7
	5.1	5-8
5	5.2	8-12
	6.1	15-35
6	6.2	14-20
	6.3	12-15



Vc= m/min.


UNC	Hilos Threads	Filets	L mm	l mm	d mm	a mm	Z	N° Art. 5% Co	€
UNC N°6	32		56	7	4	3,00	3	75634	30,36
UNC N°10	24		70	8	6	4,90	3	75636	31,85
UNC 1/4	20		80	10	7	5,20	3	75537	30,70
UNC 5/16	18		90	13	8	6,20	3	75541	34,65
UNC 3/8	16		90	15	9	7,00	3	75539	38,99

Ref. 3154 bajo demanda / upon request / sur demande

Ref. **3254**

**MACHO HELICOIDAL MÁQUINA UNC**


UNC Machine Spiral Tap  
Taraud Hélicoïdal Machine UNC



Rosca americana unificada cilíndrica  
Unified Thread Standard  
Filetage unifié

HSSE 5%Co	DIN 376	C 2-3h	Tol. 2B		$\alpha$ $10^\circ \pm 2$
--------------	------------	-----------	------------	--	------------------------------

Material		Vc
Grupo	Sub.	5%Co
1	1.1	6-10
	3.1	7-10
3	3.2	4-7
	5.1	5-8
5	5.2	8-12
	6.1	15-35
6	6.2	14-20
	6.3	12-15



Vc= m/min.

UNC	Hilos Threads	Filets	L mm	l mm	d mm	a mm	Z	N° Art. 5% Co	€
UNC 7/16	14		100	18	8	6,20	3	70507	47,28
UNC 1/2	13		110	20	9	7,00	3	70495	51,69
UNC 9/16	12		110	20	11	9,00	3	70509	70,16
UNC 5/8	11		110	20	12	9,00	3	70500	68,27
UNC 3/4	10		125	25	14	11,00	4	70497	90,40
UNC 7/8	9		140	25	18	14,50	4	70506	141,45
UNC 1"	8		160	30	18	14,50	4	70510	177,45

Ref. 3254 bajo demanda / upon request / sur demande